



FACTORY-DIRECT CATALOG



NEW

UPPER CYLINDER LUBRICANT

GASOLINE

ADDITIVE



LUBRICATES



FIGHTS ETHANOL



CLEANS



Free Shipping on Orders of \$100 or More. See page 3 for details.



Product Index

| | |
|---|----|
| Motor Oil | 4 |
| European Motor Oil | 8 |
| Classic/Collector Car Motor Oil | 10 |
| Racing Oil | 11 |
| Diesel Oil | 12 |
| Oil Analysis | 15 |
| ATV/UTV Oil/Snowmobile Oil | 16 |
| Dirt Bike Oil/Suspension Fluid | 17 |
| Motorcycle Oil/Scooter Oil | 18 |
| Briggs & Stratton Synthetic 4T Racing Oil | 21 |
| Marine Oil | 22 |
| 2-Stroke Oil | 24 |
| Chaincase & Gear Oil | 25 |
| Small-Engine Oil | 26 |
| Transmission Fluid | 27 |
| Gear Lube | 31 |
| Filters | 33 |
| Grease | 35 |
| Air Tool Oil | 37 |
| Bar and Chain Oil/ Compressor Oil/Fuel Additives | 38 |
| Cleaners and Protectants | 43 |
| Coolant Boost/Coolant | 46 |
| Brake Fluid | 48 |
| Brake and Parts Cleaner/Power Steering Fluid | 49 |
| Waterless Wash & Wax/ Aftermarket Partners | 50 |



*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

Free Shipping on orders of \$100 or more in the contiguous U.S.*

BECOME AN AMSOIL PREFERRED CUSTOMER FOR EVEN MORE GREAT BENEFITS:



Reduced Pricing
Save up to 25 percent on every order.



Free Shipping



Special Offers
Preferred Customers receive exclusive promotions.



Free Gear
Randomly receive free hats, shirts or other gear when you place an order.



P.C. Points
Earn points on all purchases. Every 50 points earned is redeemable for \$1 off a future order.



Referral Rewards
Refer friends and family members to the AMSOIL P.C. Program and receive 500 bonus points when the referred customer makes a qualifying purchase.

Sign up at www.amsoil.com/pc today and use this referral number. ▼

Referral # _____

5040288

*Orders of \$100 or more in the contiguous U.S. pay a flat shipping rate of \$8.99. Exclusions apply. See the shipping & handling policy at www.amsoil.com/storefront/shippinginformation.aspx

TECHNICAL QUESTIONS

(715) 399-8324 or tech@amsoil.com

SHIPPING AND HANDLING

Contiguous U.S. – Free shipping on orders of \$100 or more in the contiguous U.S. Orders below that threshold pay a flat shipping rate of \$8.99. Exclusions apply. See the shipping & handling policy at www.amsoil.com/storefront/shippinginformation.aspx.

Alaska – Add 7.5 percent to product prices for extra freight expenses. See Shipping Info at www.amsoil.com/storefront/shippinginformation.aspx for additional details.

Hawaii – Orders are shipped using the most cost-effective method and actual freight charges will be applied when orders are shipped. See Shipping Info at www.amsoil.com/storefront/shippinginformation.aspx for additional details.

Military Post Boxes – AMSOIL INC. ships orders to APO and FPO addresses for customers' personal use only. Orders are shipped using U.S. Mail Parcel Post and will be charged actual freight costs, which will be charged at the time the order is shipped. See Shipping Info at www.amsoil.com for additional details.

PRODUCT DAMAGED DURING SHIPPING

If there is visible damage to your order upon delivery, refuse the order. It will be returned to AMSOIL INC. for inspection and a new order will be sent at no extra charge to you. If you discover hidden damage after accepting delivery of your order, call 1-800-956-5695 for instructions.

SALES TAX INFORMATION

AMSOIL INC. is required to collect state, county and other taxes. AMSOIL also collects any additional taxes on lubricating products required by certain states.


Prices subject to change without notice.

WHY BUY SIGNATURE SERIES?

Signature Series Delivers Powerful Protection

AMSOIL delivers powerful protection. How good is it? An independent lab compared AMSOIL synthetic motor oil head-to-head against a leading competitor in a 100,000-mile test[†]. AMSOIL provided far superior wear protection and kept bearings looking like new.


[†]Testing conducted in an independent lab using AMSOIL Signature Series 5W-30 Synthetic Motor Oil and a leading synthetic-blend 5W-30 motor oil in Ford F-150 trucks with 3.5L twin-turbo engines.



Their Oil

AMSOIL

VISCOSITY BREAKDOWN
Represented By % Viscosity Lost In The Kurt Orbanh Test



Signature Series Fights Viscosity Breakdown

AMSOIL fights viscosity breakdown **46%[‡] better** than Mobil 1, providing superior protection of pistons, cams and bearings.


[‡]Based on independent testing of Mobil 1 Annual Protection Full Synthetic and AMSOIL Signature Series 5W-30 in the Kurt Orbanh Test. Oils purchased on 5/3/18.

Signature Series Neutralizes Acids

AMSOIL Signature Series is fortified with a heavy treatment of detergent additive and it delivers **30% more** acid neutralizing power[‡] than Mobil 1^{*}, and **36% more** than Royal Purple^{*}, helping engines to stay cleaner, longer.


[‡]Based upon independent testing of Mobil 1 Annual Protection Full Synthetic 5W-30, Royal Purple High Performance 5W-30 and AMSOIL Signature Series 5W-30 in ASTM D2896. Oils purchased 05/03/18.

ACID NEUTRALIZING POWER
Represented By Total Base Number (TBN) in ASTM D2896



Oil Volatility

As Measured By ASTM D5800



Signature Series Helps Keep Valves Clean

AMSOIL fights volatility[‡] **38% better** than Mobil 1 and **17% better** than Royal Purple, helping reduce oil consumption and keep valves clean.

[‡]Based on independent testing of AMSOIL Signature Series Synthetic 5W-20, Mobil 1 Advanced Synthetic 5W-20, Royal Purple High Performance Synthetic 5W-20 in ASTM D5800. Oils purchased Oct.-Nov. 2018.

Signature Series Protects Against LSPI

AMSOIL Synthetic Motor Oils achieved **100% protection** against LSPI.[‡]

[‡]Based on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification.

Signature Series Guards Turbos

Protects turbochargers **72% better** than required[‡] by the GM dexos1® Gen 2 specification.

[‡]Based on independent testing of AMSOIL Signature Series 5W-30 in the GM turbo coking test.

Signature Series Cleans

AMSOIL Signature Series Synthetic Motor Oil has **50% more** detergents[‡] to help keep oil passages clean and promote oil circulation. It provides **90% better protection** against sludge.^{‡‡}

[‡]vs. AMSOIL OE Motor Oil ^{‡‡}Based on independent testing of AMSOIL Signature Series 5W-30 in the ASTM D6593 engine test for oil screen plugging as required by the API SN specification.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

Signature Series Fights Wear
75% more engine protection

against horsepower loss and wear.^A

^ABased on independent testing of AMSOIL Signature Series 0W-20, in ASTM D6891 as required by the API SN specification.



SIGNATURE SERIES SYNTHETIC MOTOR OIL

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cutting-edge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry standards. Guaranteed protection for up to 25,000 miles or 1 year, whichever comes first.

● **0W-20²⁴**

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ASMQT | EA | 1 Quart | 10.00 | 13.30 |
| ASMQT | CA | 12 Quarts | 113.90 | 157.50 |
| ASM1G | EA | 1 Gallon | 39.25 | 52.00 |
| ASM1G | CA | 4 Gallons | 149.35 | 206.25 |

● **5W-20²⁴**

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ALMQT | EA | 1 Quart | 9.80 | 13.05 |
| ALMQT | CA | 12 Quarts | 112.00 | 155.05 |
| ALM1G | EA | 1 Gallon | 38.55 | 51.20 |
| ALM1G | CA | 4 Gallons | 146.80 | 203.05 |

● **0W-30²⁴**

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AZOOT | EA | 1 Quart | 10.00 | 13.30 |
| AZOOT | CA | 12 Quarts | 113.90 | 157.50 |
| AZ01G | EA | 1 Gallon | 39.25 | 52.00 |
| AZ01G | CA | 4 Gallons | 149.35 | 206.25 |

● **5W-30²⁴**

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ASLOT | EA | 1 Quart | 9.80 | 13.05 |
| ASLOT | CA | 12 Quarts | 112.00 | 155.10 |
| ASL1G | EA | 1 Gallon | 38.55 | 51.20 |
| ASL1G | CA | 4 Gallons | 146.80 | 203.05 |

● **10W-30²⁴**

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ATMQT | EA | 1 Quart | 9.80 | 13.05 |
| ATMQT | CA | 12 Quarts | 112.00 | 155.10 |
| ATM1G | EA | 1 Gallon | 38.55 | 51.20 |
| ATM1G | CA | 4 Gallons | 146.80 | 203.10 |

● **0W-40²⁴**

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| AZFQT | EA | 1 Quart | 10.00 | 13.30 |
| AZFQT | CA | 12 Quarts | 113.90 | 157.50 |

○ **5W-50²⁴**

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| AMRQT | EA | 1 Quart | 10.00 | 13.30 |
| AMRQT | CA | 12 Quarts | 113.90 | 157.55 |



^ABased on independent testing in the ASTM D6891 test using 0W-20 as worst-case representation

²⁴See page 51 for Proposition 65 information for this product.

XL

BOOSTED ENGINE PROTECTION AND PERFORMANCE

XLZ

XLM

XLF

XLT

XLO



For enthusiasts who want to do something extra for their vehicle. Engineered for advanced automotive technology, including turbos and direct injection. Boosted formulation delivers more cleaning power and promotes longer engine life. **Provides 64% more protection against oil breakdown^F than required by the GM dexos1* Gen 2 specification.** Extra protection that lasts up to 12,000 miles or 1 year, whichever comes first.

● 0W-20

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| XLZQT | EA | 1 Quart | 7.25 | 9.95 |
| XLZQT | CA | 12 Quarts | 82.85 | 117.45 |
| XLZ1G | EA | 1 Gallon | 28.35 | 38.65 |
| XLZ1G | CA | 4 Gallons | 107.95 | 152.90 |

● 5W-20

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| XLMQT | EA | 1 Quart | 7.25 | 9.95 |
| XLMQT | CA | 12 Quarts | 82.85 | 117.50 |
| XLM1G | EA | 1 Gallon | 28.35 | 38.65 |
| XLM1G | CA | 4 Gallons | 107.95 | 152.95 |

● 5W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| XLFQT | EA | 1 Quart | 7.25 | 9.95 |
| XLFQT | CA | 12 Quarts | 82.85 | 117.50 |
| XLF1G | EA | 1 Gallon | 28.35 | 38.65 |
| XLF1G | CA | 4 Gallons | 107.95 | 152.95 |

● 10W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| XLTQT | EA | 1 Quart | 7.25 | 9.95 |
| XLTQT | CA | 12 Quarts | 82.85 | 117.55 |
| XLT1G | EA | 1 Gallon | 28.35 | 38.65 |
| XLT1G | CA | 4 Gallons | 107.95 | 153.00 |

○ 10W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| XLOQT | EA | 1 Quart | 7.25 | 9.95 |
| XLOQT | CA | 12 Quarts | 82.85 | 117.55 |
| XLO1G | EA | 1 Gallon | 28.35 | 38.65 |
| XLO1G | CA | 4 Gallons | 107.95 | 153.00 |

"Put this in my light duty, full size pickup. Noticeable difference right away. Engine quieter and clean."

— Jim P
Northern VA

^FBased on independent testing of AMSOIL XL 5W-30 motor oil in the GMOD engine test required for the GM dexos1 Gen2 specification.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



ADVANCED ENGINE PROTECTION

OES

OEZ

OEM

OEF

OET



Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. **Provides 47 percent more wear protection.⁶** Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

● 0W-16

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| OESQT | EA | 1 Quart | 5.45 | 7.75 |
| OESQT | CA | 12 Quarts | 62.25 | 90.95 |

● 0W-20

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| OEZQT | EA | 1 Quart | 5.45 | 7.75 |
| OEZQT | CA | 12 Quarts | 62.25 | 90.95 |
| OEZ1G | EA | 1 Gallon | 21.40 | 30.10 |
| OEZ1G | CA | 4 Gallons | 81.35 | 118.60 |

● 5W-20

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| OEMQT | EA | 1 Quart | 5.45 | 7.75 |
| OEMQT | CA | 12 Quarts | 62.25 | 91.00 |
| OEM1G | EA | 1 Gallon | 21.40 | 30.10 |
| OEM1G | CA | 4 Gallons | 81.35 | 118.65 |

● 5W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| OEFQT | EA | 1 Quart | 5.45 | 7.75 |
| OEFQT | CA | 12 Quarts | 62.25 | 90.95 |
| OEF1G | EA | 1 Gallon | 21.40 | 30.10 |
| OEF1G | CA | 4 Gallons | 81.35 | 118.65 |

● 10W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| OETQT | EA | 1 Quart | 5.45 | 7.75 |
| OETQT | CA | 12 Quarts | 62.25 | 91.00 |

Tough-to-reach fill hole?

Order a flexible pour spout with your oil to make the job easier. Fits quarts and gallons.

| STOCK# | P.C. PRICE | FULL PRICE |
|--------|------------|------------|
| G1230 | 0.70 | 0.80 |



⁶Based on independent testing of OE 0W-20 in the Peugeot TU3M Wear Test as required by the dexos1 Gen 2 specification.

PREMIUM PROTECTION FOR EUROPEAN VEHICLES

Emissions System Protection

AMSOIL European Car Formula features precisely balanced formulations that consider the needs of modern exhaust treatment devices. It is important to use an oil that meets the proper specification to ensure optimum engine protection and performance.

European Car Formula Synthetic Motor Oil

Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks.

- **Outstanding** All-Season Performance
- **Engineered** for Maximum Fuel Economy
- **Enhanced** Turbocharger Protection

"My engine sounds better than it ever has. My BMW* has 70,000+ miles and has never sounded this good or smooth. You can tell a lot about engines just from the sound and this baby is purring like I've never heard it purr. I am very pleased and glad I made the switch to AMSOIL."

– Tom
Atlanta, Ga.

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

EUROPEAN CAR FORMULA



European Car Formula 5W-30 Improved Emissions System Protection Synthetic Motor Oil¹³

Manufacturer Approvals: VW 504.00/507.00
Use in vehicles that require API SN • ACEA C3 • GM dexos2 • Chrysler MS-11106 • MB 229.51 • BMW LL-04 • Porsche C30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AELQT | EA | 1 Quart | 10.65 | 14.05 |
| AELQT | CA | 12 Quarts | 121.15 | 166.70 |
| AEL1G | EA | 1 Gallon | 41.75 | 55.05 |
| AEL1G | CA | 4 Gallons | 159.00 | 218.55 |

European Car Formula 5W-40 Improved Emissions System Protection Synthetic Motor Oil

Manufacturer Approvals: MB-Approval 229.51 • Porsche A40
Use in vehicles that require ACEA C3 • API SN/SM/CF... • BMW Longlife-04 • Chrysler MS-10850 (supersedes MS-10896) • Ford WSS-M2C917-A • GM dexos2 (supersedes LL-A-025 and LL-B-025) • Renault RIN0700/RIN0710 • VW/Audi 502.00/505.01

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AFLQT | EA | 1 Quart | 9.45 | 12.60 |
| AFLQT | CA | 12 Quarts | 107.45 | 149.10 |
| AFL1G | EA | 1 Gallon | 36.95 | 49.20 |
| AFL1G | CA | 4 Gallons | 140.70 | 195.05 |

European Car Formula 0W-40 Classic Emissions System Protection Synthetic Motor Oil

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/SM... • BMW LL-01 • MB 229.3/229.5 • Porsche A40 • Renault 0710, 0700 • VW/Audi 502.00/505.00

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| EFOQT | EA | 1 Quart | 8.85 | 11.85 |
| EFOQT | CA | 12 Quarts | 100.80 | 140.50 |

European Car Formula 5W-40 Classic Emissions System Protection Synthetic Motor Oil¹³

Manufacturer Approvals: MB-Approval 229.5 • Porsche A40 • VW/Audi 502.00/505.00

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/SM... • BMW LL-01 • Renault 0710, 0700

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| EFMQT | EA | 1 Quart | 6.85 | 9.45 |
| EFMQT | CA | 12 Quarts | 78.15 | 111.45 |
| EFM1G | EA | 1 Gallons | 26.95 | 36.90 |
| EFM1G | CA | 4 Gallons | 102.50 | 146.00 |

¹³See page 51 for Proposition 65 information for this product.

BUILD IT.

CRUISE IT.



○ Assembly Lube¹⁷

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------|------------|------------|
| EALTB | EA | (1) 4-oz. Tube | 7.65 | 9.80 |
| EALTB | CA | (12) 4-oz. Tubes | 87.15 | 116.30 |

● Break-In Oil¹⁷

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| BRKQT | EA | 1 Quart | 6.80 | 9.40 |
| BRKQT | CA | 12 Quarts | 77.50 | 110.90 |

Z-ROD[®] Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

● 10W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ZRTQT | EA | 1 Quart | 9.00 | 12.05 |
| ZRTQT | CA | 12 Quarts | 102.55 | 143.00 |

● 20W-50

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ZRFQT | EA | 1 Quart | 9.35 | 12.50 |
| ZRFQT | CA | 12 Quarts | 106.65 | 148.35 |

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

OFFICIAL OIL



¹⁷See page 51 for Proposition 65 information for this product.



RACE IT.

**PRODUCTS
THE
PROS USE**



"AMSOIL products are the best on the market and definitely give us an added performance factor."

Bryce Menzies
Professional Off-Road Driver

DOMINATOR® Synthetic Racing Oil

Superior performance and maximum protection in high-performance and racing applications.

● 5W-20¹⁷

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| RD20QT | EA | 1 Quart | 11.15 | 14.70 |
| RD20QT | CA | 12 Quarts | 127.30 | 174.75 |

● 10W-30¹⁷

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| RD30QT | EA | 1 Quart | 10.80 | 14.25 |
| RD30QT | CA | 12 Quarts | 123.05 | 169.35 |

● 15W-50¹⁷

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| RD50QT | EA | 1 Quart | 11.35 | 14.95 |
| RD50QT | CA | 12 Quarts | 129.35 | 177.45 |
| RD501G | EA | 1 Gallon | 44.60 | 58.65 |
| RD501G | CA | 4 Gallons | 169.90 | 232.85 |

● SAE 60¹⁷

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| RD60QT | EA | 1 Quart | 11.70 | 15.35 |
| RD60QT | CA | 12 Quarts | 133.25 | 182.55 |

¹⁷See page 51 for Proposition 65 information for this product.



● 20W-50 Synthetic Competition Diesel Oil

Delivers 50% more film thickness⁹ to withstand high cylinder pressures and protect against wear.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DCOQT | EA | 1 Quart | 9.25 | 12.45 |
| DCOQT | CA | 12 Quarts | 105.25 | 147.65 |
| DCO1G | EA | 1 Gallon | 36.20 | 48.70 |
| DCO1G | CA | 4 Gallons | 137.80 | 193.15 |



⁹Compared to the 3.5 cP HTHS limit for SAE 15W-40.

Competing Brand



Severely Scuffed Liner



Non-Scuffed Liner

Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222



Signature Series Max-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or CI-4+

The top tier of AMSOIL protection and performance for diesel engines. Provides 6X more engine protection.¹ Delivers up to 60% better turbo cleanliness¹ and withstands the extra demands you place on the turbo when pulling heavy loads or updating the tune for maximum horsepower. Provides up to 76% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test. Provides up to 2X better rust protection.^K



5W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| DHDQT | EA | 1 Quart | 9.30 | 12.50 |
| DHDQT | CA | 12 Quarts | 106.00 | 148.10 |
| DHD1G | EA | 1 Gallon | 36.45 | 48.90 |
| DHD1G | CA | 4 Gallons | 138.85 | 193.75 |
| DHDTP | EA | (1) 2.5 Gallon | 90.05 | 119.10 |
| DHDTP | CA | (2) 2.5 Gallons | 171.45 | 236.10 |

10W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DTT1G | EA | 1 Gallon | 34.00 | 45.60 |
| DTT1G | CA | 4 Gallons | 129.40 | 180.60 |

0W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DZFQT | EA | 1 Quart | 9.00 | 12.05 |
| DZFQT | CA | 12 Quarts | 102.55 | 142.75 |
| DZF1G | EA | 1 Gallon | 35.25 | 47.10 |
| DZF1G | CA | 4 Gallons | 134.20 | 186.65 |

5W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| DEOQT | EA | 1 Quart | 8.95 | 12.00 |
| DEOQT | CA | 12 Quarts | 102.10 | 142.25 |
| DEO1G | EA | 1 Gallon | 35.10 | 46.90 |
| DEO1G | CA | 4 Gallons | 133.60 | 185.95 |
| DEOTP | EA | (1) 2.5 Gallon | 86.55 | 114.30 |
| DEOTP | CA | (2) 2.5 Gallons | 164.85 | 226.50 |

15W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| DMEQT | EA | 1 Quart | 8.80 | 11.80 |
| DMEQT | CA | 12 Quarts | 100.35 | 140.10 |
| DME1G | EA | 1 Gallon | 34.50 | 46.20 |
| DME1G | CA | 4 Gallons | 131.25 | 183.05 |
| DMETP | EA | (1) 2.5 Gallon | 85.05 | 112.50 |
| DMETP | CA | (2) 2.5 Gallons | 162.00 | 223.00 |

¹Vs AMSOIL Heavy-Duty Diesel Engine Oil in the CAT C13 2nd Ring Top Land Carbon test.

^KBased on industry standard testing using the NMMA FC-W Rust Test.

¹than required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 5W-30 as worst-case representation.

^{*}All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



Heavy-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or CI-4+

Outstanding protection and performance for customers seeking an upgrade over conventional and other synthetic diesel oils. Provides 4X more engine protection.¹ Provides up to 66% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test.

10W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| ADNQT | EA | 1 Quart | 5.85 | 8.20 |
| ADNQT | CA | 12 Quarts | 66.50 | 96.55 |
| ADN1G | EA | 1 Gallon | 22.85 | 31.95 |
| ADN1G | CA | 4 Gallons | 86.95 | 126.05 |
| ADNTP | EA | (1) 2.5 Gallon | 56.00 | 77.35 |
| ADNTP | CA | (2) 2.5 Gallons | 106.60 | 152.70 |

5W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| ADOQT | EA | 1 Quart | 6.15 | 8.60 |
| ADOQT | CA | 12 Quarts | 70.25 | 101.35 |
| ADO1G | EA | 1 Gallon | 24.15 | 33.55 |
| ADO1G | CA | 4 Gallons | 92.00 | 132.50 |
| ADOTP | EA | (1) 2.5 Gallon | 59.30 | 81.35 |
| ADOTP | CA | (2) 2.5 Gallons | 112.90 | 160.65 |

15W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| ADPQT | EA | 1 Quart | 5.90 | 8.30 |
| ADPQT | CA | 12 Quarts | 67.30 | 97.60 |
| ADP1G | EA | 1 Gallon | 23.10 | 32.30 |
| ADP1G | CA | 4 Gallons | 88.00 | 127.50 |
| ADPTP | EA | (1) 2.5 Gallon | 56.65 | 78.25 |
| ADPTP | CA | (2) 2.5 Gallons | 107.90 | 154.50 |

¹than required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 10W-30 as worst-case representation.

Like Series 3000?

Try Signature Series Max-Duty 5W-30 for a serious upgrade. See page 12.

HDD



CI-4+ Synthetic Diesel Oils

Provide outstanding protection for pre-2007 on- and off-road diesel applications not equipped with diesel particulate filters (DPFs).

● Series 3000 5W-30 Synthetic Heavy Duty Diesel Oil

Use in vehicles that require API CI-4+

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| HDDQT | EA | 1 Quart | 10.00 | 13.30 |
| HDDQT | CA | 12 Quarts | 114.05 | 157.65 |
| HDD1G | EA | 1 Gallon | 39.30 | 52.05 |
| HDD1G | CA | 4 Gallons | 149.55 | 206.45 |
| HDDTP | EA | (1) 2.5 Gallon | 97.05 | 126.90 |
| HDDTP | CA | (2) 2.5 Gallons | 184.80 | 251.75 |

AME



● 15W-40 Synthetic Heavy Duty Diesel and Marine Oil

Use in vehicles that require API CI-4+

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| AMEQT | EA | 1 Quart | 8.50 | 11.45 |
| AMEQT | CA | 12 Quarts | 96.90 | 135.70 |
| AME1G | EA | 1 Gallon | 33.25 | 44.75 |
| AME1G | CA | 4 Gallons | 126.65 | 177.25 |
| AMETP | EA | (1) 2.5 Gallon | 82.05 | 108.90 |
| AMETP | CA | (2) 2.5 Gallons | 156.20 | 215.70 |

ACD



● 10W-30/SAE 30 Synthetic Heavy Duty Diesel Oil

Use in vehicles that require API CI-4+

Available while supplies last. Try Signature Series Max-Duty 10W-30 (p.12) or Heavy-Duty 10W-30 (p.13) for a serious upgrade.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ACD1G | EA | 1 Gallon | 33.75 | 45.35 |
| ACD1G | CA | 4 Gallons | 128.55 | 179.55 |

AMO



Premium Protection Synthetic Motor Oil

Ideal for gasoline engines and pre-2007 diesel applications not equipped with diesel particulate filters (DPFs), where the extra protection of a high-zinc formula is desired.

● 10W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| AMOQT | EA | 1 Quart | 9.05 | 12.15 |
| AMOQT | CA | 12 Quarts | 103.20 | 143.70 |
| AMO1G | EA | 1 Gallon | 35.50 | 47.45 |
| AMO1G | CA | 4 Gallons | 135.05 | 187.95 |
| AMOTP | EA | (1) 2.5 Gallon | 87.55 | 115.50 |
| AMOTP | CA | (2) 2.5 Gallons | 166.70 | 228.90 |

ARO



● 20W-50

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AROQT | EA | 1 Quart | 9.15 | 12.25 |
| AROQT | CA | 12 Quarts | 104.45 | 145.50 |
| ARO1G | EA | 1 Gallon | 35.90 | 48.00 |
| ARO1G | CA | 4 Gallons | 136.75 | 190.30 |

Oil Analysis

AMSOIL offers oil analysis service options from Oil Analyzers Inc. By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit www.oiltesting.com.

| STOCK# | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|---|------------|------------|
| KIT01 | 1 sample kit (includes two-way postage) | 28.35 | 34.00 |
| KIT02 | 1 sample kit (includes UPS shipping) | 28.35 | 33.90 |
| KIT06 | 1 sample kit | 20.50 | 24.60 |
| KIT14 | 1 value sample kit | 15.70 | 19.15 |
| G1206 | Oil Suction Pump w/10-ft. hose | 26.25 | 28.90 |
| G1571 | Replacement Hose 25-ft. | 8.35 | 9.20 |

Oil Analyzers
INC.

SYNTHETIC ATV/UTV MOTOR OIL

Formulated to provide upgraded performance and protection for hard-working and performance ATVs and UTVs.

● 10W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| AUV40QT | EA | 1 Quart | 9.80 | 13.90 |
| AUV40QT | CA | 12 Quarts | 111.55 | 165.15 |

● 5W-50

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| AUV50QT | EA | 1 Quart | 10.05 | 14.25 |
| AUV50QT | CA | 12 Quarts | 114.70 | 169.40 |

● Synthetic ATV/UTV Transmission & Differential Fluid

Protects heavily loaded, high-torque ATV and UTV gears and bearings against wear in the most severe operating conditions. Convenient easy-pack helps access tough-to-reach fill holes, making the job faster and cleaner.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| AUDTQT | EA | 1 Quart | 11.25 | 15.35 |
| AUDTQT | CA | 12 Quarts | 128.40 | 182.40 |
| AUDTPK | EA | 1 Quart Easy-Pack | 12.95 | 17.50 |
| AUDTPK | CA | 12 Quart Easy-Packs | 147.70 | 208.20 |

● Synthetic ATV/UTV Front Drive Fluid

Purpose-built for superior gear and bearing protection in Polaris* hubs and centralized Hilliard* clutches.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AUFDQT | EA | 1 Quart | 11.35 | 14.90 |
| AUFDQT | CA | 12 Quarts | 129.15 | 177.00 |

ATV/UTV Oil Change Kits

Contains everything needed to perform an oil change on most Polaris* UTVs and ATVs using AMSOIL Synthetic ATV/UTV Motor Oil. Call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate kit for your application.

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| PK1 | EA | 1 kit | 31.50 | 43.05 |
| PK2 | EA | 1 kit | 27.50 | 37.45 |
| PK3 | EA | 1 kit | 25.95 | 35.45 |

AFF



● Formula 4-Stroke® Power Sports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, including ATVs and snowmobiles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AFFQT | EA | 1 Quart | 10.35 | 13.70 |
| AFFQT | CA | 12 Quarts | 118.00 | 162.70 |

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

AUV40

AUV50



NEW
PACKAGING

AUDTPK

AUFD




PK1



AMSOIL delivers confident clutch feel.

AMSOIL provides excellent clutch protection¹⁷. How good is it? In extreme simulated-start testing, AMSOIL provided superior wear protection and kept clutch plates looking new.



¹⁷Based on dyno testing of a Honda CRF450 dirt bike using AMSOIL 10W-40 Synthetic Dirt Bike Oil and a leading original equipment manufacturer 10W-40 conventional dirt bike oil.

SYNTHETIC DIRT BIKE OIL

Delivers confidence in clutch feel, maximum horsepower and superior wear protection in all types of four-stroke dirt bikes.

● 10W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DB40QT | EA | 1 Quart | 10.10 | 14.30 |
| DB40QT | CA | 12 Quarts | 115.00 | 169.95 |

● 10W-50

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DB50QT | EA | 1 Quart | 10.85 | 15.35 |
| DB50QT | CA | 12 Quarts | 124.00 | 182.35 |

● 10W-60

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DB60QT | EA | 1 Quart | 11.15 | 15.70 |
| DB60QT | CA | 12 Quarts | 127.30 | 186.90 |

● Synthetic Dirt Bike Transmission Fluid

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DBTFQT | EA | 1 Quart | 8.70 | 12.45 |
| DBTFQT | CA | 12 Quarts | 98.95 | 147.75 |

SHOCK THERAPY[®] SUSPENSION FLUID

Controls friction, heat, wear, foaming and scuffing in suspension components.

● Lightweight #5¹⁷

Use in applications that demand quick rebounds under extreme temperatures.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| STLQT | EA | 1 Quart | 12.00 | 15.65 |
| STLQT | CA | 12 Quarts | 136.75 | 186.55 |
| STL05 | EA | (1) 5-gal. Pail | 222.60 | 299.20 |

● Medium #10¹⁷

Use in applications that require more dampening and slower rebounds.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| STMQT | EA | 1 Quart | 11.75 | 15.45 |
| STMQT | CA | 12 Quarts | 134.00 | 183.10 |
| STM05 | EA | (1) 5-gal. Pail | 218.05 | 293.55 |



¹⁷See page 51 for Proposition 65 information for this product.

SYNTHETIC V-TWIN MOTORCYCLE OIL

● 20W-50

Superior synthetic formulation provides long service life and maximum protection against engine wear in Harley-Davidson*, Buell*, Ducati*, Aprilia*, BMW* and other motorcycle engines, primaries and transmissions.

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| MCVQT | EA | 1 Quart | 10.25 | 13.60 |
| MCVQT | CA | 12 Quarts | 116.90 | 161.45 |
| MCV1G | EA | 1 Gallon | 40.25 | 53.35 |
| MCV1G | CA | 4 Gallons | 153.30 | 211.55 |

V-Twin Oil Change Kit

Includes everything needed to perform an AMSOIL oil change on most 1999-2016 Harley-Davidson motorcycles, including (4) quarts of 20W-50 Synthetic V-Twin Motorcycle Oil (MCV), (1) chrome Ea® Motorcycle Oil Filter (EaOM134C) and (1) O-ring.

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| HDCK | EA | 1 kit | 55.80 | 76.00 |

● SAE 60

Superior synthetic formulation provides long service life and maximum protection against engine wear in big-bore, air-cooled motorcycle engines, including Harley-Davidson Panhead, Shovelhead and Knucklehead.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| MCSQT | EA | 1 Quart | 11.15 | 14.70 |
| MCSQT | CA | 12 Quarts | 126.95 | 174.50 |

● 20W-40

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian* and Victory* motorcycles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| MVIQT | EA | 1 Quart | 10.15 | 13.50 |
| MVIQT | CA | 12 Quarts | 115.95 | 160.30 |

MCV



MCS



MVI



HDCK

MVT



● Synthetic V-Twin Transmission Fluid

Helps quiet V-twin transmission noise and enable smooth shifts.

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| MVTQT | EA | 1 Quart | 11.50 | 15.65 |
| MVTQT | CA | 12 Quarts | 131.05 | 186.00 |

● Synthetic V-Twin Primary Fluid

Delivers consistent clutch feel and helps riders easily find neutral.

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| MVPQT | EA | 1 Quart | 10.20 | 13.95 |
| MVPQT | CA | 12 Quarts | 116.10 | 165.75 |

MVP



MSV



● 15W-60

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian and Victory motorcycles.

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| MSVQT | EA | 1 Quart | 11.40 | 15.50 |
| MSVQT | CA | 12 Quarts | 129.95 | 184.45 |

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

SYNTHETIC METRIC MOTORCYCLE OIL

● 10W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Can-Am*, Honda*, Yamaha*, Kawasaki*, Triumph*, Suzuki*, BMW* and other motorcycle engines.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| MCFQT | EA | 1 Quart | 10.25 | 13.60 |
| MCFQT | CA | 12 Quarts | 116.90 | 161.45 |
| MCF1G | EA | 1 Gallon | 40.25 | 53.30 |
| MCF1G | CA | 4 Gallons | 153.30 | 211.50 |

● 10W-30

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Honda, Yamaha, Suzuki and Kawasaki motorcycles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| MCTQT | EA | 1 Quart | 9.85 | 13.10 |
| MCTQT | CA | 12 Quarts | 112.35 | 155.55 |

● 15W-50

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Ducati*, BMW, KTM*, Yamaha, Triumph and Royal Enfield* motorcycles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| MFFQT | EA | 1 Quart | 11.10 | 15.15 |
| MFFQT | CA | 12 Quarts | 126.75 | 180.15 |



○ Formula 4-Stroke® Synthetic Scooter Oil

Formulated specifically to meet the special needs of today's high-tech air- and water-cooled four-stroke motorized scooters.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ASOQT | EA | 1 Quart | 8.10 | 10.95 |
| ASOQT | CA | 12 Quarts | 92.30 | 129.75 |

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



Briggs & Stratton, the world's largest small-engine manufacturer, chose AMSOIL to formulate the motor oil it recommends to protect its most demanding racing engines. Imagine what AMSOIL can do for you.

ACCEPT NO SUBSTITUTES.



GBS2960



● Briggs & Stratton Synthetic 4T Racing Oil¹⁷

Formulated by AMSOIL specifically for stock and modified small-displacement air-cooled racing engines and recommended for any four-stroke air-cooled competition engine.

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| GBS2960 | EA | 1 Quart | 11.25 | 15.95 |
| GBS2960 | CA | 12 Quarts | 134.90 | 191.56 |

¹⁷See page 51 for Proposition 65 information for this product.



- Outboard • Inboard
- Inboard/Outboard (I/O) • Watercraft

Synthetic Marine Engine Oil

Formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications. Certified to meet NMMA FC-W Catalyst Compatible performance specifications.

● 10W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| WCTQT | EA | 1 Quart | 8.80 | 11.80 |
| WCTQT | CA | 12 Quarts | 100.05 | 139.60 |

● 10W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| WCFQT | EA | 1 Quart | 9.50 | 12.65 |
| WCFQT | CA | 12 Quarts | 108.05 | 149.95 |

● 25W-40 (Synthetic Blend)²³

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| WCMQT | EA | 1 Quart | 7.25 | 10.10 |
| WCMQT | CA | 12 Quarts | 82.55 | 119.70 |



● HP Marine™ Synthetic 2-Stroke Oil¹³

Prevents piston skirt scuffing, cylinder bore scuffing and ring sticking in all two-stroke outboard motors, personal watercraft and anywhere NMMA TC-W3 and API-TC oils are specified.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| HPMQT | EA | 1 Quart | 8.30 | 11.20 |
| HPMQT | CA | 12 Quarts | 94.50 | 132.65 |
| HPM1G | EA | 1 Gallon | 32.45 | 43.70 |
| HPM1G | CA | 4 Gallons | 123.50 | 173.20 |



Pete Maina
Pro Fisherman

^{23, 15}See page 51 for Proposition 65 information for this product.

ATO



● Outboard 100:1 Pre-Mix Synthetic 2-Stroke Oil¹³

Contains a heavy dose of low-temperature dispersant additives that excel at reducing varnish and carbon deposit formation in water-cooled outboard motors.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| ATOBC | EA | (1) 8-oz. Bottle | 4.20 | 5.70 |
| ATOBC | CA | (12) 8-oz. Bottles | 47.75 | 66.60 |
| ATOQT | EA | 1 Quart | 11.35 | 14.95 |
| ATOQT | CA | 12 Quarts | 129.35 | 177.60 |

OUTSTANDING PROTECTION FOR LOWER UNITS



● Universal Synthetic Marine Gear Lube

Resists foam and retains extreme-pressure qualities in outboard lower units, stern drives, V-drives, bow and tunnel thrusters and marine transmissions. Delivers advanced outboard protection against power loss and gear wear, even with up to 15 percent water contamination.^v Choose the easy-pack for fast, easy installation.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| AGMTB | EA | (1) 10-oz. Tube | 6.25 | 8.40 |
| AGMTB | CA | (6) 10-oz. Tubes | 35.65 | 49.30 |
| AGMQT | EA | 1 Quart | 10.10 | 13.40 |
| AGMQT | CA | 12 Quarts | 115.15 | 159.30 |
| AGMPK | EA | 1 Quart Easy-Pack | 11.80 | 15.45 |
| AGMPK | CA | 12 Quart Easy-Packs | 134.30 | 183.95 |
| AGM05 | EA | (1) 5-gal. Pail | 186.65 | 254.55 |



● Marine Gear Lube Pump²⁷

Specifically designed to ease installation and reduce mess when servicing lower units.

| STOCK # | P.C. PRICE | FULL PRICE |
|---------|------------|------------|
| G3456 | 9.45 | 10.05 |



Midwest Fishing Report

AMSOIL

www.amsoil.com/mfr

^{13,27}See page 51 for Proposition 65 information for this product.

^vBased upon AMSOIL testing of AMSOIL Synthetic Marine Gear Lube 75W-90 in ASTM 3233 and ASTM D892.



● Synthetic 2-Stroke Injector Oil¹³

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AIOQT | EA | 1 Quart | 7.05 | 9.90 |
| AIOQT | CA | 12 Quarts | 80.50 | 117.10 |
| AIO1G | EA | 1 Gallon | 27.75 | 38.80 |
| AIO1G | CA | 4 Gallons | 105.65 | 153.45 |



MAXIMUM
RELIABILITY

● INTERCEPTOR[®] Synthetic 2-Stroke Oil¹³

Prevents piston skirt scuffing, ring sticking and exhaust power valve sticking in two-stroke snowmobiles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AITQT | EA | 1 Quart | 9.30 | 12.40 |
| AITQT | CA | 12 Quarts | 105.85 | 147.20 |
| AIT1G | EA | 1 Gallon | 36.40 | 48.55 |
| AIT1G | CA | 4 Gallons | 138.60 | 192.55 |

Meets the performance requirements of Polaris*, Arctic Cat* and Ski-Doo* two-stroke snowmobiles.

EXHAUST SIDE



Piston coating largely intact.

The piston rings earned perfect 10 merit ratings, demonstrating no ring sticking and excellent performance.

The piston skirts exhibited 0.00% scuffing, proving INTERCEPTOR's outstanding friction-reduction capabilities.

Complete results at amsoil.com/proof

Severe-Duty Dyno Results

INTERCEPTOR[®] Synthetic 2-Stroke Oil was installed in a Ski-Doo* Renegade X snowmobile equipped with a Rotax* E-TEC* 800R engine. Following a 50-hour severe-duty dyno session designed to simulate a full season of real-world conditions, the engine was disassembled and rated for wear and deposits by a calibrated ASTM rater. Results prove INTERCEPTOR virtually eliminated wear and deposits throughout the entire engine.

¹³See page 51 for Proposition 65 information for this product.

*All trademark names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



TDR

Lincoln Lemieux
Team AMSOIL
Scheuring Speed Sports



● **DOMINATOR® Synthetic 2-Stroke Racing Oil¹³**

Delivers outstanding wear protection in high-horsepower and modified racing or trail motors, including snowmobiles, motorcycles, ATVs, personal watercraft, go-carts and outboard motors.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| TDRQT | EA | 1 Quart | 9.75 | 12.95 |
| TDRQT | CA | 12 Quarts | 111.05 | 154.00 |
| TDR1G | EA | 1 Gallon | 38.25 | 50.85 |
| TDR1G | CA | 4 Gallons | 145.55 | 201.60 |

MAXIMUM PERFORMANCE

● **Synthetic Chaincase & Gear Oil**

Superior protection for enclosed chains and gears found in snowmobiles, ATVs, UTVs and general equipment.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| TCCCN | EA | (1) 16-oz. Bottle | 8.50 | 11.65 |
| TCCCN | CA | (6) 16-oz. Bottles | 48.40 | 68.80 |
| TCC05 | EA | (1) 5-gal. Pail | 191.00 | 259.50 |



TCC

● **SABER® Professional Synthetic 2-Stroke Oil¹³**

Provides superior protection for handheld two-stroke equipment at any mix ratio up to 100:1, offering the ultimate in convenience.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------------|------------|------------|
| ATPPK | EA | (1) 1.5-oz. Pillow Pack | 1.20 | 1.80 |
| ATPPK | CA | (48) 1.5-oz. Pillow Packs | 53.25 | 79.40 |
| ATPTS | EA | (1) 2.6-oz. Bottle | 2.00 | 2.75 |
| ATPTS | CA | (12) 2.6-oz. Bottles | 22.35 | 31.50 |
| ATPBA | EA | (1) 3.5-oz. Bottle | 2.10 | 3.00 |
| ATPBA | CA | (12) 3.5-oz. Bottles | 24.00 | 33.95 |
| ATPSF | EA | (1) 6.4-oz. Bottle | 3.30 | 4.55 |
| ATPSF | CA | (12) 6.4-oz. Bottles | 37.35 | 53.15 |
| ATPBC | EA | (1) 8-oz. Bottle | 4.00 | 5.45 |
| ATPBC | CA | (12) 8-oz. Bottles | 45.55 | 63.75 |
| ATPTE | EA | (1) 12.8-oz. Bottle | 6.20 | 8.45 |
| ATPTE | CA | (12) 12.8-oz. Bottles | 70.80 | 99.75 |
| ATPQT | EA | 1 Quart | 10.10 | 13.45 |
| ATPQT | CA | 12 Quarts | 115.30 | 159.55 |
| ATP1G | EA | 1 Gallon | 39.70 | 52.65 |
| ATP1G | CA | 4 Gallons | 151.20 | 209.00 |



ATP

¹³See page 51 for Proposition 65 information for this product.

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

SABER® Ratio™
100:1... 1.3 oz. 1 GAL.

SABER Professional Fights Carbon

Equipment using SABER Professional was **96% carbon-free^N**.



AMSOIL SABER Professional
300 Hours
3.8% Screen Blockage

VS.



Leading Oil Brand
45 Hours
98% Screen Blockage

^NBased on spark-arrestor testing.

Synthetic Small-Engine Oil

Helps preserve engine power, reduce oil consumption and reduce maintenance in small engines used in severe service.

Riding and Push Lawnmowers • Snowblowers • Generators • Pumps • Welders • Skid-Steers • Compressors • and more

○ 5W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AESQT | EA | 1 Quart | 7.35 | 10.00 |
| AESQT | CA | 12 Quarts | 83.95 | 118.95 |

● 10W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| ASEQT | EA | 1 Quart | 7.35 | 10.05 |
| ASEQT | CA | 12 Quarts | 83.95 | 118.95 |
| ASE1G | EA | 1 Gallon | 28.75 | 39.15 |
| ASE1G | CA | 4 Gallons | 109.45 | 154.90 |
| ASE05 | EA | (1) 5-gal. Pail | 134.70 | 188.25 |

● 10W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| ASFQT | EA | 1 Quart | 7.50 | 10.25 |
| ASFQT | CA | 12 Quarts | 85.55 | 121.00 |
| ASF1G | EA | 1 Gallon | 29.30 | 39.85 |
| ASF1G | CA | 4 Gallons | 111.55 | 157.65 |
| ASF05 | EA | (1) 5-gal. Pail | 137.30 | 191.60 |



● 20W-50 Zero-Turn Synthetic Hydrostatic Transmission Fluid¹³

Fights wear to deliver smooth control and responsive power in zero-turn hydrostatic mowers.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| AHFQT | EA | 1 Quart | 9.45 | 12.60 |
| AHFQT | CA | 12 Quarts | 107.45 | 149.35 |
| AHF1G | EA | 1 Gallon | 36.95 | 49.30 |
| AHF1G | CA | 4 Gallons | 140.70 | 195.35 |
| AHF05 | EA | (1) 5-gal. Pail | 173.80 | 238.10 |

¹³See page 51 for Proposition 65 information for this product.

Signature Series Synthetic Automatic Transmission Fluid

Provides reserve protection in fleet vehicles, work trucks and other severe-service applications that quickly break down other lubricants.

Handle More Heat With Confidence

Standard Severe Service

AMSOIL Severe Service

RESERVE PROTECTION

Change Interval – Miles



● Multi-Vehicle¹⁷

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| ATFQT | EA | 1 Quart | 11.45 | 15.05 |
| ATFQT | CA | 12 Quarts | 130.45 | 178.60 |
| ATFPK | EA | 1 Quart Easy-Pack | 13.00 | 16.95 |
| ATFPK | CA | 12 Quart Easy-Packs | 148.15 | 201.35 |
| ATF1G | EA | 1 Gallon | 45.00 | 59.05 |
| ATF1G | CA | 4 Gallons | 171.40 | 234.40 |
| ATFTP | EA | (1) 2.5 Gallon | 111.40 | 144.10 |
| ATFTP | CA | (2) 2.5 Gallons | 212.10 | 286.15 |



● Fuel-Efficient¹⁷

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| ATLQT | EA | 1 Quart | 11.85 | 15.50 |
| ATLQT | CA | 12 Quarts | 135.00 | 184.35 |
| ATLPK | EA | 1 Quart Easy-Pack | 13.50 | 17.50 |
| ATLPK | CA | 12 Quart Easy-Packs | 153.95 | 208.75 |
| ATL1G | EA | 1 Gallon | 46.60 | 60.95 |
| ATL1G | CA | 4 Gallons | 177.45 | 242.10 |
| ATLTP | EA | (1) 2.5 Gallon | 115.40 | 148.85 |
| ATLTP | CA | (2) 2.5 Gallons | 219.75 | 295.65 |

¹⁷See page 51 for Proposition 65 information for this product.

*All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

OTF



OE Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passenger-car/light-truck transmissions.

● Multi-Vehicle¹⁷

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------------|------------|------------|
| OTFQT | EA | 1 Quart | 7.45 | 10.20 |
| OTFQT | CA | 12 Quarts | 85.05 | 120.30 |
| OTF1G | EA | 1 Gallon | 29.35 | 39.90 |
| OTF1G | CA | 4 Gallons | 111.75 | 157.80 |
| OTFTP | EA | (1) 2.5 Gallon | 72.25 | 96.95 |
| OTFTP | CA | (2) 2.5 Gallons | 137.55 | 191.80 |

OTL



● Fuel-Efficient¹⁷

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| OTLQT | EA | 1 Quart | 7.25 | 9.95 |
| OTLQT | CA | 12 Quarts | 82.70 | 117.30 |
| OTL1G | EA | 1 Gallon | 28.55 | 38.85 |
| OTL1G | CA | 4 Gallons | 108.60 | 153.70 |
| OTLTP | EA | (1) 2.5 Gallon | 70.20 | 94.45 |
| OTLTP | CA | (2) 2.5 Gallons | 133.65 | 186.80 |

CVT



● Synthetic CVT Fluid

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| CVTQT | EA | 1 Quart | 10.85 | 14.85 |
| CVTQT | CA | 12 Quarts | 123.80 | 176.10 |
| CVT1G | EA | 1 Gallon | 42.70 | 58.15 |
| CVT1G | CA | 4 Gallons | 162.55 | 230.95 |

¹⁷See page 51 for Proposition 65 information for this product.

DCT



● 100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DCTQT | EA | 1 Quart | 17.05 | 23.45 |
| DCTQT | CA | 12 Quarts | 194.40 | 279.40 |

MTG



● Synthetic Manual Transmission and Transaxle Gear Lube¹⁵

Provides improved internal component protection. Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| MTGQT | EA | 1 Quart | 14.35 | 18.60 |
| MTGQT | CA | 12 Quarts | 163.50 | 221.10 |
| MTGPK | EA | 1 Quart Easy-Pack | 15.95 | 20.60 |
| MTGPK | CA | 12 Quart Easy-Packs | 182.05 | 244.95 |
| MTG05 | EA | (1) 5-gal. Pail | 267.25 | 356.00 |
| MTG55 | EA | 55-gal. Drum | 2,780.70 | 3,449.60 |

MTF



● Synthetic Synchronesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| MTFQT | EA | 1 Quart | 12.30 | 16.15 |
| MTFQT | CA | 12 Quarts | 140.50 | 191.80 |
| MTF05 | EA | (1) 5-gal. Pail | 228.90 | 307.85 |
| MTF55 | EA | 55-gal. Drum | 2,359.10 | 2,960.00 |

¹⁵See page 51 for Proposition 65 information for this product.

*All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

ART



● Super Shift® Racing Transmission Fluid¹⁷

Formulated to prevent slippage and reduce heat in high-performance, high-horsepower vehicles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ARTQT | EA | 1 Quart | 11.15 | 14.70 |
| ARTQT | CA | 12 Quarts | 126.95 | 174.25 |

ATD



● Torque-Drive® Synthetic Heavy-Duty Automatic Transmission Fluid¹⁷

Premium fluid designed for use in both on- and off-highway heavy-duty equipment.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| ATD1G | EA | 1 Gallon | 45.45 | 59.55 |
| ATD1G | CA | 4 Gallons | 173.05 | 236.45 |
| ATDTP | EA | (1) 2.5 Gallon | 112.50 | 145.40 |
| ATDTP | CA | (2) 2.5 Gallons | 214.20 | 288.70 |

ATH



● Synthetic Tractor/Hydraulic Transmission Oil¹⁴

Formulated for combinations of transmissions, hydraulic systems, final drives, power take-off systems and wet brakes in heavy-duty farm and industrial equipment as well as commercial and residential lawn tractors.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| ATHQT | EA | 1 Quart | 9.25 | 12.35 |
| ATHQT | CA | 12 Quarts | 105.40 | 146.60 |
| ATH05 | EA | (1) 5-gal. Pail | 170.40 | 233.60 |
| ATH30 | EA | 30-gal. Drum | 963.90 | 1,256.75 |
| ATH55 | EA | 55-gal. Drum | 1,715.20 | 2,204.95 |

^{17, 14}See page 51 for Proposition 65 information for this product.



SEVERE GEAR® Synthetic EP Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing. Delivers 20% more cold-temperature protection than required by ASTM D2983.

● 75W-90

Top fuel efficiency and cold-temperature performance

Delivers advanced protection against wear, even with up to 15 percent water contamination.^W

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| SVGQT | EA | 1 Quart | 13.90 | 18.05 |
| SVGQT | CA | 12 Quarts | 158.65 | 215.05 |
| SVGPK | EA | 1 Quart Easy-Pack | 13.90 | 18.05 |
| SVGPK | CA | 12 Quart Easy-Packs | 158.65 | 215.05 |
| SVG05 | EA | (1) 5-gal. Pail | 249.90 | 334.35 |

● 80W-90

Excellent extreme-pressure performance and wear protection

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| AGLQT | EA | 1 Quart | 10.05 | 13.35 |
| AGLQT | CA | 12 Quarts | 114.35 | 158.30 |
| AGLPK | EA | 1 Quart Easy-Pack | 11.65 | 15.30 |
| AGLPK | CA | 12 Quart Easy-Packs | 132.75 | 181.90 |
| AGL05 | EA | (1) 5-gal. Pail | 176.15 | 241.25 |



● 75W-110

Extra viscosity protection without sacrificing fuel efficiency

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| SVTQT | EA | 1 Quart | 14.35 | 18.60 |
| SVTQT | CA | 12 Quarts | 163.80 | 221.70 |
| SVTPK | EA | 1 Quart Easy-Pack | 16.05 | 20.70 |
| SVTPK | CA | 12 Quart Easy-Packs | 183.30 | 246.75 |
| SVT05 | EA | (1) 5-gal. Pail | 258.60 | 345.40 |

● 75W-140

Maximum viscosity protection for severe-duty applications

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| SVOQT | EA | 1 Quart | 15.55 | 20.10 |
| SVOQT | CA | 12 Quarts | 177.70 | 239.60 |
| SVOPK | EA | 1 Quart Easy-Pack | 15.55 | 20.10 |
| SVOPK | CA | 12 Quart Easy-Packs | 177.70 | 239.60 |
| SVO05 | EA | (1) 5-gal. Pail | 281.70 | 374.65 |



○ Slip Lock® Differential Additive

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

Note: AMSOIL synthetic gear lubes do not require the use of this additive. However, not all differentials respond the same and if chatter is noticed, the addition of AMSOIL Slip Lock will eliminate it.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------|------------|------------|
| ADATB | EA | (1) 4-oz. Tube | 7.30 | 9.40 |
| ADATB | CA | (12) 4-oz. Tubes | 83.30 | 111.20 |

^WBased upon AMSOIL testing of AMSOIL Synthetic SEVERE GEAR 75W-90 and Long-Life 75W-90 Synthetic Gear Lube in ASTM 3233 and ASTM D892.



SEVERE GEAR® EP Synthetic Racing Gear Lube

Engineered specifically for the demands of severe racing conditions, including off-road truck racing, rock racing, rock crawling, tractor pulling, funny car racing and dragster racing applications.

● SAE 190¹⁷

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| SRNQT | EA | 1 Quart | 14.65 | 19.00 |
| SRNQT | CA | 12 Quarts | 167.15 | 226.20 |
| SRN05 | EA | (1) 5-gal. Pail | 273.30 | 364.30 |

● SAE 250¹⁷

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| SRTQT | EA | 1 Quart | 14.65 | 19.00 |
| SRTQT | CA | 12 Quarts | 167.15 | 226.25 |
| SRT05 | EA | (1) 5-gal. Pail | 273.30 | 364.35 |



Long Life Synthetic Gear Lube

Specifically engineered for extended drain intervals up to 500,000 miles as set by equipment manufacturers for over-the-road trucks and heavy equipment.


● 75W-90¹³

Delivers advanced protection against wear, even with up to 15 percent water contamination.^W

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| FGRQT | EA | 1 Quart | 12.10 | 15.85 |
| FGRQT | CA | 12 Quarts | 137.85 | 188.50 |
| FGR1G | EA | 1 Gallon | 47.70 | 62.50 |
| FGR1G | CA | 4 Gallons | 181.65 | 248.20 |
| FGR05 | EA | (1) 5-gal. Pail | 224.45 | 302.45 |

● 80W-140¹³

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| FGO05 | EA | (1) 5-gal. Pail | 214.20 | 289.65 |
| FGO16 | EA | 16-gal. Keg | 677.05 | 886.30 |
| FGO30 | EA | 30-gal. Drum | 1,226.95 | 1,572.90 |
| FGO55 | EA | 55-gal. Drum | 2,191.65 | 2,768.55 |



Easy Installation

| PRODUCT | STOCK# | P.C. PRICE | FULL PRICE |
|---------------------------|--------|------------|------------|
| Hand Pump | G2039 | 10.45 | 11.50 |
| Flexible Pour Spout | G1230 | 0.70 | 0.80 |
| Nozzle Dispenser Caps (6) | G1242 | 1.15 | 1.30 |

^WBased upon AMSOIL testing of AMSOIL Synthetic SEVERE GEAR® 75W-90 and Long-Life 75W-90 Synthetic Gear Lube in ASTM 3233 and ASTM D892.

^{17,13}See page 51 for Proposition 65 information for this product.

Oil Filters

AMSOIL Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 99 percent at 20 microns. Featuring advanced full-synthetic technology, AMSOIL Oil Filters provide greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear.



- Oil Filters designated with product code EA15K are recommended for 15,000 miles/one year, whichever comes first, in normal or severe service.
- Oil Filters designated with product code EAO are recommended for 25,000 miles/one year, whichever comes first, in normal service or 15,000 miles/one year, whichever comes first, in severe service.

| STOCK# | UNITS | P.C. PRICE | FULL PRICE | STOCK# | UNITS | P.C. PRICE | FULL PRICE |
|---------|-------|------------|------------|---------|-------|------------|------------|
| EA15K01 | EA | 16.80 | 21.25 | EA034 | EA | 15.40 | 19.70 |
| EA15K02 | EA | 17.10 | 21.60 | EA15K35 | EA | 14.70 | 18.60 |
| EA15K03 | EA | 15.65 | 19.80 | EA15K37 | EA | 12.60 | 15.95 |
| EA15K04 | EA | 16.30 | 20.55 | EAO38 | EA | 15.35 | 19.55 |
| EA15K08 | EA | 17.35 | 21.95 | EA15K39 | EA | 19.95 | 25.20 |
| EA15K09 | EA | 15.60 | 20.05 | EA042 | EA | 15.00 | 19.25 |
| EAO11 | EA | 14.35 | 18.45 | EA15K43 | EA | 16.80 | 21.25 |
| EA15K12 | EA | 14.05 | 17.95 | EA15K49 | EA | 20.50 | 25.90 |
| EA15K13 | EA | 14.80 | 18.90 | EA15K50 | EA | 13.60 | 17.50 |
| EAO15 | EA | 15.50 | 19.90 | EA15K51 | EA | 14.05 | 18.00 |
| EA15K16 | EA | 14.70 | 18.65 | EA052 | EA | 15.60 | 20.00 |
| EAO17 | EA | 14.20 | 18.25 | EA15K53 | EA | 13.15 | 16.80 |
| EA15K19 | EA | 14.70 | 18.95 | EA15K54 | EA | 18.90 | 23.90 |
| EA15K20 | EA | 15.40 | 19.70 | EA055 | EA | 21.00 | 26.80 |
| EAO23 | EA | 14.35 | 18.40 | EAO59 | EA | 15.15 | 19.40 |
| EAO24 | EA | 15.65 | 19.95 | EA064 | EA | 14.35 | 18.30 |
| EAO26 | EA | 17.00 | 21.85 | EA080 | EA | 16.65 | 21.80 |
| EA15K28 | EA | 14.70 | 18.60 | EA15K88 | EA | 31.30 | 39.40 |
| EA15K29 | EA | 14.90 | 19.05 | EA098 | EA | 25.00 | 32.20 |
| EA15K32 | EA | 14.60 | 18.80 | EA099 | EA | 26.20 | 33.85 |

Which filter do I need?

Call 1-800-956-5695 (Monday-Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate filter for each application. When AMSOIL Oil Filters are used with a motor oil other than AMSOIL motor oil the filter should be changed according to the vehicle manufacturer recommendation.

***Oil Filters are available to Preferred Customers by the case.
See page 3 for information on becoming a Preferred Customer.***

Fill in your vehicle information. Then call 1-800-956-5695 (Monday – Friday, 7 a.m. – 7 p.m. Central Time). You may also contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine your appropriate oil and air filters.

Make _____ Year _____ Model _____

Engine _____

VIN _____

Your AMSOIL Oil Filter is _____ Your WIX Oil Filter is _____

Your WIX Air Filter is _____

More Premium Filters

AMSOIL offers a variety of specialty oil and air filters constructed with premium synthetic technology. Call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) for application information.



Heavy-Duty Extended-Life Oil Filters

Provide excellent 99 percent filtering efficiency at 20 microns and high contaminant capacity for heavy-duty on- and off-road diesel and gasoline applications. Provide extended service intervals that coincide with the maximum drain intervals of AMSOIL synthetic engine oils.



Bypass Filters

High-efficiency bypass filters effectively remove minute dirt particles and soot. Provide an efficiency rating of 99 percent at two microns.



Ea® Universal Air Induction Filters

Fit most popular air intake systems on the market, providing improved cold air intake and excellent efficiency for superior engine protection and performance. Cleanable and remain serviceable for long filter life.



Ea Racing Air Filters

Specially designed for carbureted racing and street rod applications, providing higher dirt-holding capacity, lower pressure drop and greater airflow and efficiency. Cleanable and remain serviceable for long filter life.



Ea Pre-Filters

Constructed of woven mesh and designed to fit over the top of Ea Racing and Air Induction Filters, preventing large particles from sticking to them and blocking airflow. Easily removed and shaken free of debris in seconds. Cleanable and remain serviceable for up to one year.



Motorcycle Oil Filters

Most efficient filters available for the motorcycle and powersports market. Provide excellent 99 percent filtering efficiency at 20 microns. Available in black or chrome (as available).

GRG



DOMINATOR® Synthetic Racing Grease

High-performance bearing and chassis lubrication for all race applications on snow, dirt, water and track. Designed for bearings that operate under high-speed, high-heat conditions.

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| GRGCR | EA | (1) 14-oz. Cartridge | 10.85 | 14.85 |
| GRGCR | CA | (10) 14-oz. Cartridges | 105.70 | 143.40 |

Synthetic Polymeric Off-Road Grease

Extreme-pressure, moly-fortified grease that provides outstanding protection for heavy-load-bearing applications, including steering knuckles, spring shackles, heavy equipment pivot joints and other components operating in high-load, low-speed conditions.

Synthetic Polymeric Off-Road Grease¹⁶

Use in applications that require NLGI No. 1

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|------------------------|------------|------------|
| GPOR1CR | EA | (1) 15-oz. Cartridge | 7.85 | 10.85 |
| GPOR1CR | CA | (10) 15-oz. Cartridges | 77.35 | 103.90 |

Synthetic Polymeric Off-Road Grease

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|------------------------|------------|------------|
| GPOR2CR | EA | (1) 15-oz. Cartridge | 8.15 | 11.25 |
| GPOR2CR | CA | (10) 15-oz. Cartridges | 80.40 | 107.85 |

Synthetic Polymeric Truck, Chassis and Equipment Grease

Delivers excellent wear protection and performance in severe-service, extreme-pressure environments such as axle assemblies, U-joints, pivot pins, fifth-wheel plates, steering linkages, kingpins, water pump bearings, ball joints and other greasable bearings and chassis components.

Synthetic Polymeric Truck, Chassis and Equipment Grease²⁰

Use in applications that require NLGI No. 1

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|------------------------|------------|------------|
| GPTR1CR | EA | (1) 14-oz. Cartridge | 6.40 | 8.95 |
| GPTR1CR | CA | (10) 14-oz. Cartridges | 63.10 | 85.60 |

Synthetic Polymeric Truck, Chassis and Equipment Grease

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|------------------------|------------|------------|
| GPTR2CR | EA | (1) 14-oz. Cartridge | 6.90 | 9.60 |
| GPTR2CR | CA | (10) 14-oz. Cartridges | 67.85 | 91.75 |

^{16, 20}See page 51 for Proposition 65 information for this product.

GPOR1



GPOR2



GPTR1



GPTR2



GLC



Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| GLCCR | EA | (1) 14-oz. Cartridge | 6.70 | 9.35 |
| GLCCR | CA | (10) 14-oz. Cartridges | 64.20 | 88.90 |
| GLC3P | EA | (3) 3-oz. Cartridges | 8.40 | 11.40 |
| GLC3P | CA | (30) 3-oz. Cartridges | 79.95 | 107.65 |
| GLCGN | EA | Grease Gun Kit | 30.45 | 41.20 |



GLCGN



GLC3P

GWR



GWR3P



Synthetic Water-Resistant Grease

Provides outstanding water-washout and spray-off resistance for applications frequently exposed to water, mud, snow or ice.

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| GWR3P | EA | (1) 14-oz. Cartridge | 7.10 | 9.85 |
| GWR3P | CA | (10) 14-oz. Cartridges | 68.15 | 94.05 |
| GWR3P | EA | (3) 3-oz. Cartridges | 9.10 | 12.35 |
| GWR3P | CA | (30) 3-oz. Cartridges | 86.65 | 116.40 |

GXC



X-Treme Synthetic Food Grade Grease

Designed for high levels of protection in food and pharmaceutical industry equipment. NSF-approved formula (formerly USDA H-1) for incidental contact with food.

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| GXCCR | EA | (1) 14-oz. Cartridge | 8.85 | 12.15 |
| GXCCR | CA | (10) 14-oz. Cartridges | 85.40 | 116.75 |

GEC



Arctic Synthetic Grease

Provides extreme low-temperature pumpability and superior protection for equipment operating in harsh climates where temperatures drop well below freezing.

Use in applications that require NLGI No. 1

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| GECCR | EA | (1) 15-oz. Cartridge | 10.55 | 14.40 |
| GECCR | CA | (10) 15-oz. Cartridges | 102.45 | 136.25 |

FWG



● Synthetic Fifth-Wheel Grease

Heavy-duty grease that provides outstanding protection and performance in the heavily loaded, harsh operating environments of fifth-wheel hitches used in trucking and trailer applications.

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-------------------|------------|------------|
| FWGTB | EA | (1) 10-oz. Tube | 7.60 | 9.85 |
| FWGTB | CA | (12) 10-oz. Tubes | 86.10 | 117.00 |

GSP



● Spray Grease²²

Applies quickly and evenly and is ideal for greasing hard-to-reach equipment, including hinges, springs, industrial chains, latches, slides, winches and other common applications.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| GSPSC | EA | (1) 10-oz. Spray Can | 6.35 | 8.35 |
| GSPSC | CA | (12) 10-oz. Spray Cans | 72.45 | 98.55 |

AIR



● Synthetic Air Tool Oil

Effectively lubricates rotary and piston-type air-tool bearings and motors, while managing moisture and conditioning rubber and plastic seals and O-rings.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| AIRBA | EA | (1) 4-oz. Bottle | 3.55 | 4.70 |
| AIRBA | CA | (12) 4-oz. Bottles | 40.05 | 55.10 |

²²See page 51 for Proposition 65 information for this product.



ABC

● Semi-Synthetic Bar and Chain Oil¹⁷

Delivers excellent lubrication and protection, helping extend the life of bar and chain applications.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| ABCQT | EA | 1 Quart | 4.80 | 6.95 |
| ABCQT | CA | 12 Quarts | 54.85 | 81.65 |
| ABC1G | EA | 1 Gallon | 18.65 | 26.85 |
| ABC1G | CA | 4 Gallons | 71.00 | 105.70 |
| ABC05 | EA | (1) 5-gal. Pail | 86.10 | 126.95 |

Synthetic Compressor Oil

Superior protection for rotary screw, rotary vane, reciprocating and other compressor applications.

● ISO 46, SAE 20

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| PCIQT | EA | 1 Quart | 11.00 | 14.50 |
| PCIQT | CA | 12 Quarts | 125.40 | 172.10 |
| PCI05 | EA | (1) 5-gal. Pail | 203.70 | 275.45 |

● ISO 100, SAE 30/40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| PCKQT | EA | 1 Quart | 11.35 | 14.95 |
| PCKQT | CA | 12 Quarts | 129.65 | 177.80 |
| PCK05 | EA | (1) 5-gal. Pail | 210.80 | 284.80 |


● Gasoline Stabilizer

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. One ounce treats 2.5 gallons of fuel.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| ASTCN | EA | (1) 16-oz. Bottle | 10.00 | 13.15 |
| ASTCN | CA | (6) 16-oz. Bottles | 57.05 | 78.15 |

AMSOIL Fights Corrosion

AMSOIL provides corrosion protection Sea Foam[®] Motor Treatment can't match, helping maintain power and performance and keeping metal looking like new even when subjected to salt water.^x



Sea Foam



AMSOIL

^xBased upon independent testing of AMSOIL Gasoline Stabilizer obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased Oct. 25, 2018 in a modified NACE TM0172 using synthetic sea water per ASTM D665 part B.

● Upper Cylinder Lubricant Gasoline Additive¹³

Lubricates fuel system and upper cylinders. Fights ethanol-related corrosion. Helps keep injectors clean. Bottle compatible with capless fuel systems. Use entire bottle at every fill-up.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| UCLCN | EA | (1) 6-oz. Bottle | 3.65 | 4.95 |
| UCLCN | CA | (12) 6-oz. Bottles | 41.60 | 57.65 |



PCI



AST



UCL



¹⁷See page 51 for Proposition 65 information for this product.

**INDUSTRY'S MOST
ADVANCED**
FORMULATION IMPROVES
FUEL ECONOMY




● **P.i.® 13**

Provides improved fuel mileage up to 5.7% and reduces emissions in gasoline direct-injected and port-fuel-injected engines. Bottle compatible with capless fuel systems. Add entire bottle to tank at fill-up.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| APICN | EA | (1) 12-oz. Bottle | 10.65 | 13.85 |
| APICN | CA | (12) 12-oz. Bottles | 121.25 | 164.65 |



Two of the four dirty injectors tested were fouled >15% and another was fouled >10%. After one tank of operation on AMSOIL P.i., all injectors returned to >95% flow.



Intake valve
before
P.i. treatment.



Intake valve
after
P.i. treatment.



Injector spray pattern **before**
P.i. treatment.



Injector spray pattern **after**
P.i. treatment.

¹³See page 51 for Proposition 65 information for this product.



Addresses Ethanol-Related Performance issues

DIRECTIONS: One bottle treats up to 6 gallons for cleanup and up to 12 gallons for continued protection. For best results use with every tank.

● **Quickshot®**

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and four-stroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance.

Motorcycles • Snowmobiles • Boats • ATVs • Edgers • Tillers • Mowers • Snowblowers • Chainsaws • Generators • Farm & Construction Equipment • and more

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-------------------|------------|------------|
| AQSCN | EA | (1) 8-oz. Bottle | 7.85 | 10.35 |
| AQSCN | CA | (6) 8-oz. Bottles | 44.75 | 61.40 |
| AQSQT | EA | 1 Quart | 25.40 | 32.15 |
| AQSQT | CA | 12 Quarts | 290.15 | 384.35 |



Phase separation is when ethanol/water mixtures fall to the bottom of fuel tanks and containers, leading to lean-burn conditions.

Quickshot helps keep water molecules dispersed to prevent phase separation.

Degraded fuel can present a major maintenance issue in motorcycle engines, forming varnish, gum and insoluble debris that clog carburetors, fuel injectors and fuel filters. Carbon buildup can form on the tops of pistons resulting in pre-ignition, rough idling and poor throttle response. Fuel-related problems are only expected to intensify in the coming years as the ethanol content in pump gasoline continues to increase.

AMSOIL Quickshot® (AQS) is a premium fuel additive formulated to thoroughly clean and restore peak performance in motorcycle and powersports equipment fuel systems. It also stabilizes fuel between uses and during short-term storage periods.



● DOMINATOR® Octane Boost²¹

Improves the performance of all two- and four-stroke gasoline-fueled engines. Treats up to 15 gallons of gasoline.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| AOBBE | EA | (1) 12-oz. Bottle | 8.55 | 10.95 |
| AOBBE | CA | (6) 12-oz. Bottles | 48.70 | 64.85 |

● Motorcycle Octane Boost²¹

Increases octane up to three numbers for maximum power and efficiency in motorcycles. Treats 4-6 gallons of gasoline.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| MOBCN | EA | (1) 4-oz. Bottle | 4.25 | 5.45 |
| MOBCN | CA | (12) 4-oz. Bottles | 48.25 | 63.85 |



● Diesel Recovery²¹

Emergency diesel fuel treatment that liquefies gelled diesel fuel and thaws frozen fuel filters. Keep a bottle on hand for emergencies. One ounce treats up to 1 gallon of fuel.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| DRCQT | EA | (1) 30-oz. Bottle | 11.50 | 15.05 |
| DRCQT | CA | (12) 30-oz. Bottles | 131.05 | 179.10 |

● Diesel Cold Flow¹⁷

Effectively modifies wax crystal formation at low temperatures to depress diesel fuel pour point, prevent wax settling and improve cold-flow filtration properties. Lowers cold filter-plugging point (CFPP) by up to 40°F (22°C) in ultra-low-sulfur diesel (ULSD). One ounce treats up to 5 gallons of fuel.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| ADDCN | EA | (1) 16-oz. Bottle | 7.15 | 9.55 |
| ADDCN | CA | (12) 16-oz. Bottles | 81.20 | 113.10 |
| ADD05 | EA | (1) 5-gal. Pail | 200.55 | 272.30 |




● Diesel Cetane Boost

Raises the cetane number of diesel fuel up to eight points for maximum horsepower, increased fuel economy and easier starts in all diesel engines. Diesel engines operate best on fuel with cetane values of 50 or higher. Most diesel fuel sold in North America has a cetane value of 40-45. One ounce treats up to 10 gallons of fuel.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| ACBCN | EA | (1) 16-oz. Bottle | 7.25 | 9.80 |
| ACBCN | CA | (12) 16-oz. Bottles | 82.70 | 115.50 |
| ACBHG | EA | (1) 64-oz. Bottle | 23.45 | 30.85 |
| ACBHG | CA | (6) 64-oz. Bottles | 133.90 | 184.40 |
| ACB05 | EA | (1) 5-gal. Pail | 200.40 | 273.20 |

²¹ See page 51 for Proposition 65 information for this product.

COLD FILTER-PLUGGING POINT (CFPP) (The lower the number, the better.)



Superior Cold-Temperature Protection

Provides as much as **32°F better protection** against cold-temperature gelling than Howes Lubricator Diesel Treat.^M Plus raises cetane up to 4 points.

ADB



● Diesel All-In-One²⁵

Combines the superior deposit-removing properties of Diesel Injector Clean, the excellent anti-gelling properties of Diesel Cold Flow and the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. Protects against injector wear better than Sea Foam*, delivering 2X more diesel fuel lubricity.^Y One ounce treats up to 2.5 gallons of fuel.

ADS



| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| ADBPCN | EA | (1) 8-oz. Bottle | 4.80 | 6.50 |
| ADBPCN | CA | (6) 8-oz. Bottles | 27.15 | 38.35 |
| ADBCN | EA | (1) 16-oz. Bottle | 8.55 | 11.35 |
| ADBCN | CA | (12) 16-oz. Bottles | 97.35 | 134.40 |
| ADBHG | EA | (1) 64-oz. Bottle | 29.50 | 38.15 |
| ADBHG | CA | (6) 64-oz. Bottles | 168.40 | 228.00 |
| ADB05 | EA | (1) 5-gal. Pail | 254.40 | 340.70 |

● Diesel Injector Clean + Cetane Boost²¹

Combines the superior deposit-removing properties of Diesel Injector Clean with the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. One ounce treats up to 5 gallons of fuel.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| ADSPCN | EA | (1) 8-oz. Bottle | 4.10 | 5.55 |
| ADSPCN | CA | (6) 8-oz. Bottles | 23.20 | 32.40 |
| ADSCN | EA | (1) 16-oz. Bottle | 10.45 | 13.75 |
| ADSCN | CA | (12) 16-oz. Bottles | 119.40 | 163.55 |
| ADSHG | EA | (1) 64-oz. Bottle | 34.30 | 44.10 |
| ADSHG | CA | (6) 64-oz. Bottles | 195.85 | 263.55 |
| ADS05 | EA | (1) 5-gal. Pail | 298.50 | 397.05 |

ADF



● Diesel Injector Clean¹⁹

Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits. One ounce treats up to 5 gallons of fuel.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| ADFPEN | EA | (1) 8-oz. Bottle | 3.75 | 5.25 |
| ADFPEN | CA | (6) 8-oz. Bottles | 21.35 | 30.65 |
| ADFCN | EA | (1) 16-oz. Bottle | 6.65 | 8.95 |
| ADFCN | CA | (12) 16-oz. Bottles | 75.45 | 105.55 |
| ADFHG | EA | (1) 64-oz. Bottle | 21.85 | 28.70 |
| ADFHG | CA | (6) 64-oz. Bottles | 124.60 | 171.55 |
| ADF05 | EA | (1) 5-gal. Pail | 181.40 | 248.00 |

UP TO 8%
FUEL ECONOMY IMPROVEMENT

¹⁹Based on independent testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above 0°F.

²¹Based upon independent testing of AMSOIL All-In-One obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased on Oct. 25, 2018 in the ASTM D6079 test.

²⁵See page 51 for Proposition 65 information for this product.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



● Chain Lube

Provides outstanding protection against wear and corrosion. Helps extend chain life. Does not attract dirt and does not fling off. Fast-drying.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------------|------------|------------|
| ACLSC | EA | (1) 11-oz. Spray Can | 8.70 | 11.45 |
| ACLSC | CA | (6) 11-oz. Spray Cans | 49.50 | 67.85 |



● Engine Fogging Oil

Helps prevent corrosion and dry starts to internal engine components found in outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATVs, motor homes and generators during storage or long periods of inactivity.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-------------------------|------------|------------|
| FOGSC | EA | (1) 12-oz. Aerosol Can | 7.40 | 9.60 |
| FOGSC | CA | (6) 12-oz. Aerosol Cans | 42.25 | 57.00 |



● Power Foam®

Improves starting and performance by cleaning dirty intake systems and spark plugs, freeing sticky valves and removing gum, varnish and carbon deposits.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| APFSC | EA | (1) 18-oz. Spray Can | 7.95 | 10.55 |
| APFSC | CA | (12) 18-oz. Spray Cans | 90.75 | 124.75 |



● Heavy-Duty Degreaser

Formulated with powerful and fast-acting solvents, attacking petroleum-based grime on a molecular level to loosen its hold on metal, concrete and other surfaces.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| ADGSC | EA | (1) 15-oz. Spray Can | 14.25 | 18.15 |
| ADGSC | CA | (12) 15-oz. Spray Cans | 162.55 | 216.15 |



● Silicone Spray²⁶

Perfect for lubricating or protecting rubber, nylon, plastics, upholstery, vinyl, wood, cardboard or fiberglass. Also excellent for waterproofing leather products. Hundreds of household uses.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| ALSSP | EA | (1) 10-oz. Spray Can | 7.50 | 9.75 |
| ALSSP | CA | (12) 10-oz. Spray Cans | 85.70 | 115.60 |

● Mudslinger[®]

Provides a protective layer of armor against the accumulation of mud, dirt and snow on ATVs, UTVs and dirt bikes, easing clean-up.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| AMSSC | EA | (1) 12-oz. Spray Can | 8.00 | 10.50 |
| AMSSC | CA | (12) 12-oz. Spray Cans | 91.35 | 124.20 |



● Engine Degreaser

Effectively cleans engine surfaces by cutting through grease, oil and grime.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| AEDSC | EA | (1) 15-oz. Spray Can | 6.90 | 9.00 |
| AEDSC | CA | (12) 15-oz. Spray Cans | 78.75 | 106.65 |



● Glass Cleaner

Cuts through grease and grime faster than other leading glass cleaners, stays where you spray it and leaves no streaks.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| AGCSC | EA | (1) 19-oz. Spray Can | 3.70 | 4.85 |
| AGCSC | CA | (12) 19-oz. Spray Cans | 42.25 | 56.35 |

²⁶See page 51 for Proposition 65 information for this product.

FLPSC



FLPBA



● Synthetic Firearm Lubricant and Protectant

Effectively lubricates and protects firearms, helping extend life and prevent blockage, jams and wear. Outstanding protection and performance in both hot and cold climates. Specifically formulated for firearms, offering superior performance over multi-purpose products.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------------|------------|------------|
| FLPBA | EA | (1) 4-oz. Bottle | 7.75 | 10.50 |
| FLPBA | CA | (12) 4-oz. Bottles | 88.20 | 124.40 |
| FLPSC | EA | (1) 5-oz. Spray Can | 9.65 | 12.15 |
| FLPSC | CA | (12) 5-oz. Spray Cans | 110.25 | 143.80 |

FCPCN



FCPSC



● Firearm Cleaner and Protectant

Penetrates deep into hard-to-reach components, effectively cleaning fouling and powder residue from all firearm surfaces, safely protecting them for storage, reducing jamming and increasing reliability. Protects against corrosion, allowing for safe storage and preserving performance, reliability and value.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------------|------------|------------|
| FCPSC | EA | (1) 5-oz. Spray Can | 5.55 | 7.55 |
| FCPSC | CA | (12) 5-oz. Spray Cans | 63.00 | 89.05 |
| FCPCN | EA | (1) 8-oz. Bottle | 8.85 | 12.05 |
| FCPCN | CA | (12) 8-oz. Bottles | 100.80 | 142.90 |

"It's a great product to keep your firearms/shotguns in great working order & protect from our harsh weather elements."

– Steve
Pratts Fork, Ohio

NEW
4oz. can now
available

AMP



● Metal Protector

Displaces water, penetrates, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------------|------------|------------|
| AMP4SC | EA | (1) 4-oz. Spray Can | 4.35 | 5.65 |
| AMP4SC | CA | (12) 4-oz. Spray Cans | 49.35 | 66.15 |
| AMPSC | EA | (1) 8.75-oz. Spray Can | 5.55 | 7.20 |
| AMPSC | CA | (12) 8.75-oz. Spray Cans | 63.00 | 85.05 |

AMH



● Heavy-Duty Metal Protector

Penetrates and adheres to metal surfaces, leaving a long-lasting coating that protects against the damaging effects of salt, moisture or chemical corrosion.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| AMHSC | EA | (1) 15-oz. Spray Can | 9.45 | 13.10 |
| AMHSC | CA | (12) 15-oz. Spray Cans | 107.75 | 155.55 |

FLSH



● Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| FLSHCN | EA | (1) 16-oz. Bottle | 9.25 | 12.20 |
| FLSHCN | CA | (12) 16-oz. Bottles | 105.45 | 144.95 |
| FLSH05 | EA | (1) 5-gal. Pail | 282.75 | 376.25 |

RDCB



● DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| RDCBCN | EA | (1) 16-oz. Bottle | 9.95 | 13.00 |
| RDCBCN | CA | (6) 16-oz. Bottles | 56.65 | 77.20 |



● Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-weather protection for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Protection up to 600,000 miles, 12,000 hours or 6 years, whichever comes first, in heavy-duty applications. Concentrated formula.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ANT1G | EA | 1 Gallon | 29.95 | 41.65 |
| ANT1G | CA | 4 Gallons | 114.05 | 164.85 |



● Passenger Car/Light Truck Antifreeze & Coolant¹²

Engineered to exceed original equipment manufacturer (OEM) requirements for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Pre-mixed formula.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| ANTPC1G | EA | 1 Gallon | 15.20 | 23.50 |
| ANTPC1G | CA | 4 Gallons | 57.75 | 92.20 |



● Heavy-Duty Antifreeze & Coolant¹²

Provides superior heat transfer and excellent protection against corrosion, cylinder-liner cavitation, freezing and boilover. Protection up to 600,000 miles, 12,000 hours or 6 years, whichever comes first. Pre-mixed formula.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| ANTHD1G | EA | 1 Gallon | 16.45 | 25.05 |
| ANTHD1G | CA | 4 Gallons | 62.60 | 98.45 |

To test freeze protection and additive concentration, order antifreeze test strips:

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| G1164 | EA | 70 Strips | 12.10 | 13.30 |
| G1165 | EA | 6 Strips | 4.50 | 4.95 |

¹²See page 51 for Proposition 65 information for this product.

BFLV



● DOT 3 & 4 Synthetic Brake Fluid¹¹

High-performance brake fluid specially designed as a multi-use product for passenger-car, light-truck and powersports applications.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| BFLVCN | EA | (1) 12-oz. Bottle | 6.05 | 8.00 |
| BFLVCN | CA | (12) 12-oz. Bottles | 69.10 | 94.25 |

BFR



● DOMINATOR DOT 4 Synthetic Racing Brake Fluid¹⁰

High boiling point brake fluid engineered to resist brake fade and vapor lock during intense racing applications.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| BFRCN | EA | (1) 12-oz. Bottle | 11.40 | 16.05 |
| BFRCN | CA | (12) 12-oz. Bottles | 129.80 | 191.05 |

^{11,10}See page 51 for Proposition 65 information for this product.

BPC



● Brake and Parts Cleaner

Professional strength parts cleaner that quickly removes oil, grease, brake fluid and other contaminants from brake parts and other automotive components.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| BPCSC | EA | (1) 19-oz. Spray Can | 4.40 | 6.05 |
| BPCSC | CA | (12) 19-oz. Spray Cans | 49.80 | 70.75 |

PSF



● Multi-Vehicle Synthetic Power Steering Fluid¹³

Provides excellent wear protection, long component life and quiet operation in most passenger cars and light trucks.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| PSFCN | EA | (1) 16-oz. Bottle | 6.80 | 9.20 |
| PSFCN | CA | (12) 16-oz. Bottles | 77.65 | 108.20 |



Fluid Extraction Pump

| STOCK# | P.C. PRICE | FULL PRICE |
|--------|------------|------------|
| G2576 | 15.75 | 17.35 |

Aids in the removal of power steering fluid, motor oil, drivetrain lubricants and engine coolant. Can also be used to install fresh lubricants in hard-to-reach areas.

¹³See page 51 for Proposition 65 information for this product.

AMW



● **Miracle Wash® Waterless Wash & Wax**

Unique dry car wash and polish delivers outstanding performance and quick, easy and economical application. No water required.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| AMWSC | EA | (1) 13-oz. Spray Can | 8.20 | 10.55 |
| AMWSC | CA | (12) 13-oz. Spray Cans | 93.25 | 125.30 |

Aftermarket Partners

AMSOIL also offers premium filtration products from its aftermarket partners, including Donaldson, WIX and MANN FILTER.

For product and pricing information, call 1-800-956-5695 (Monday - Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed).



The Company of **FIRSTS**

More than 40 Years of Innovation and Leadership

FIRST API-qualified 100 percent synthetic motor oil.

FIRST to introduce the concept of “extended drain intervals” with a recommended 25,000-mile/12-month drain interval.

FIRST synthetic gear lube for automotive use.

FIRST synthetic motor oil for diesel engines.

FIRST synthetic motor oil for racing engines.

FIRST synthetic motor oil for turbocharged engines.

FIRST synthetic motor oil for marine engines.

FIRST 100:1 pre-mix synthetic 2-cycle oil.

FIRST synthetic automatic transmission fluid for automotive use.



CALIFORNIA PROPOSITION 65 WARNING STATEMENTS

- 10 ⚠️ WARNING:** This product can expose you to 2,2'-Iminodiethanol, which is known to the State of California to cause cancer, and Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 11 ⚠️ WARNING:** This product can expose you to 2-Methoxyethanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 12 ⚠️ WARNING:** This product can expose you to Acetaldehyde, which is known to the State of California to cause cancer, and Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 13 ⚠️ WARNING:** This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 14 ⚠️ WARNING:** This product can expose you to Beta Myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- 15 ⚠️ WARNING:** This product can expose you to Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 16 ⚠️ WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer, and Dibutyl phthalate, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 17 ⚠️ WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- 19 ⚠️ WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 20 ⚠️ WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer, and Dibutyl phthalate, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 21 ⚠️ WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- 22 ⚠️ WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- 23 ⚠️ WARNING:** This product can expose you to Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 24 ⚠️ WARNING:** This product can expose you to Trace Metals, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 25 ⚠️ WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 26 ⚠️ WARNING:** This product can expose you to n-Hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 27 ⚠️ WARNING:** This product can expose you to Di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



The First in Synthetics®

AMSOIL INC.

One AMSOIL Center
Superior, WI 54880

WE HONOR



(Discover in U.S. only)

Your Servicing AMSOIL Dealer

Refer to this referral number to save time and make ordering easier. Call toll-free at 1-800-956-5695. Credit card orders only. ▼

5040288

Referral # _____